

Material Safety Data Sheet-MSDS

1) PRODUCT AND COMPANY IDENTIFICATION

Product name FC TWO Cycle Gasoline Engine Oil
Common characters liquid can be dissolved in oil

FC TWO Cycle Gasoline Engine Oil be used in the motorcycle, engine,

Use lawn mover, electric motor saw, garden machine equipment for

lubricating, cooling and airproofing etc.

Producer LUBRICANT COMPANY, SINOPEC CORP. Service tel. 800-810-9886 Supplier LUBRICANT COMPANY, SINOPEC CORP. Hot line 400-810-9886

Website www.sinolube.com

Compile Date 2011-03-30

2) COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name Ingredients Content, Wt%

additive mixture <35

Base oil mixture $65\sim100$

3) HAZARDS IDENTIFICATION

The International Agency for Research on Cancer (IARC) has determined

there is no sufficient evidence for the carcinogenicity in

Potential health

effects

experimental animals of used the oil. Under normal conditions of

intended use, this product does not pose a risk to health. Excessive

exposure may result in eyes, skin or respiratory irritation.

4) FIRST AID MEASURES

Flush with water for 15 minutes. If irritation occurs, get medical Eye

attention.

Flush skin with water, and then wash with soap and water. Get medical Skin

attention.

Inhalation Remove victim to fresh air and provide oxygen. Get medical attention.

Ingestion Do not induce vomiting. Get medical attention.

5) FIRE FIGHTING MEASURES

Extinguishing media Carbon dioxide, foam, dry chemical and water fog.

Extinguishing Method spray

Fumes, smoke, carbon monoxide, sulfur oxides, aldehydes and other

Combustion products decomposition products, in the case of incomplete combustion.

Forbidden media water

6) ACCIDENTAL RELEASE MEASURES

Protective Measures Wear appropriate personal protective equipment when cleaning up



	•	-	-	
SD	1	1	1	S

FOR LARGE SPILLS: Remove with vacuum truck or pump to storage/salvage

vessels.

Spill Management FOR SMALL SPILLS: Soak up residue with an absorbent such as clay,

sand or other suitable material. Place in non-leaking container and

seal tightly for proper disposal.

7) HANDLING AND STORAGE

Do not store in open or unlabeled containers. Store in a cool, dry

Storage place with adequate ventilation. Keep away from open flames and high

temperatures.

Empty containers retain residue (liquid and/or vapor) and can be

Empty container

dangerous. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND

OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME.

8) EXPOSURE CONTROLS/PERSONAL PROTECTION

Provide adequate ventilation to control airborne concentrations below Exposure controls

the exposure guidelines/limits.

If engineering controls do not maintain airborne concentrations to a

Respiratory Protection

waining

level which is adequate to protect worker health, an approved

respirator must be worn.

Eye Protection Chemical Goggles, or Safety glasses with side shields

Hand Protection Use protective gloves which is chemically resistant to this material

Use protective clothing and shoes which are chemically resistant to

Personal protection this material.

Note to sanitation Wash hands with water an use cosmetic to protect

9) PHYSICAL AND CHEMICAL PROPERTIES

Brown and transparent 0dor No peculiar smell Appearance

liquid

Flash point (COC) ℃

(ISO 2719)

>70

10) REACTIVITY AND STABILITY

Stability Stable (at room temperature)

Conditions and

materials to avoid

Extreme heat and high energy sources of ignition and strong oxidizers

Hazardous

decomposition

Product does not decompose at ambient temperatures.

product

Hazardous

polymerization

Will not occur.

11) TOXICOLOGICAL INFORMATION

(RATS): Practically low toxic ORAL TOXICITY (LD50: greater than

Acute Toxicity 5000 mg/kgBW). — Based on testing of similar products and/or the

components.



INHALATION TOXICITY (RATS): Practically low toxic (LC50: greater than 10000mg/m^3). — -Based on testing of similar products and/or the components.

12)	ECOLOGICAL	INFORMATION

Ecological toxicity Though long time infiltration, it may produce ecological toxicity

When released into the environment, adsorption to sediment and soil will

Be the predominant behavior.

Persistence and

degradability

Mobility

This product is expected to be inherently biodegradable

Bioaccumulation is unlikely due to the very low water solubility of this product; therefore bioavailability to aquatic organisms is

minimal.

13) DISPOSAL CONSIDERATIONS

Product is suitable for burning in an enclosed, controlled burner for

fuel value. In addition, the product is suitable for processing by an Waste disposal

approved recycling facility or can be disposed of at an appropriate

government waste disposal facility.

Use protection things ,including protection gloves ,glasses and Note to release

respirator, because explosion may happen heating in the container

14) TRANSPORT INFORMATION

The transport department work abiding by all the law ,rule and Transport

regulations

15) REGULATORY INFORMATION

Solid waste pollution prevention and cure law of The People's

Republic of China

State Regulation Water pollution standard of local government

16) OTHER INFORMATION

Get information and manual from the market department or technology Other data

department