[Material Safety Data Sheet– MSDS]

1) PRODUCT AND COMPANY IDENTIFICATION				
Product name	Motorcycle Gear Oil			
Common characters	liquid can be dissolved in oil			
Use	Motorcycle Gear Oil be used in gear of the motorcycle gear box for			
036	lubricating, cooling and airproofing etc.			
Producer	LUBRICANT COMPANY, SINOPEC CORP.	Service tel.	800-810-9886	
Supplier	LUBRICANT COMPANY, SINOPEC CORP.	Hot line	400-810-9886	
Website	www.sinolube.com			
Compile Date	2011-03-30			
2) COMPOSITION/INFORMATION ON INGREDIENTS				
Chemical name	Ingredients	Co	ontent, Wt%	
additive	mixture		<10	
Base oil	mixture		90~100	
3) HAZARDS IDENTIFICAT				
	The International Agency for Research on	Cancer (IARC)	has determined	
	there is no sufficient evidence for the carcinogenicity in			
Potential health	experimental animals of used the oil. Under normal conditions of			
effects	intended use, this product does not pose a risk to health. Excessive			
	exposure may result in eyes, skin or respiratory irritation.			
4) FIRST AID MEASURES				
	Flush with water for 15 minutes. If irri	tation occurs,	get medical	
Eye	attention.			
	Flush skin with water, and then wash with	n soap and wate	er. Get medical	
Skin	attention.			
Inhalation			cal attention.	
Ingestion	Do not induce vomiting. Get medical attention.			
Note to Physician	-			
5) FIRE FIGHTING MEASURES				
Extinguishing media	Carbon dioxide, foam, dry chemical and water fog.			
Extinguishing Method	spray			
	Fumes, smoke, carbon monoxide, sulfur oxides, aldehydes and other			
Combustion products	decomposition products, in the case of incomplete combustion.			
Forbidden media	water			
6) ACCIDENTAL RELEASE ME.				
	Wear appropriate personal protective equipment when cleaning up			
Protective Measures	spills.			
	•			

SINOPEC

	Spill Management	FOR LARGE SPILLS: Remove with vacuum truck or pump to storage/salvage vessels. FOR SMALL SPILLS: Soak up residue with an absorbent such as clay, sand or other suitable material. Place in non-leaking container and seal tightly for proper disposal.			
7)	7) HANDLING AND STORAGE				
	Storage	Do not store in open or unlabeled containers. Store in a cool, dry place with adequate ventilation. Keep away from open flames and high temperatures.			
	Empty container waining	Empty containers retain residue (liquid and/or vapor) and can be dangerous. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME.			
8)	8) EXPOSURE CONTROLS/PERSONAL PROTECTION				
	Exposure controls	Provide adequate ventilation to control airborne concentrations below the exposure guidelines/limits.			
	Respiratory Protection	If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, an approved respirator must be worn.			
	Eye Protection	e Protection Chemical Goggles, or Safety glasses with side shields			
	Hand Protection	Use protective gloves which is chemically resistant to this material			
	Personal protection Use protective clothing and shoes which are chemically resistant this material.				
	Note to sanitation	Wash hands with water an use cosmetic to protect			
9)	9) PHYSICAL AND CHEMICAL PROPERTIES				
	Appearance	Brown and transparent liquid Odor No peculiar smell			
	Flash point (COC) °C (ISO 2592)	>165			
10)) REACTIVITY AND STABIL	JITY			
	Stability Conditions and	Stable (at room temperature)			
	Conditions and materials to avoid Hazardous	Extreme heat and high energy sources of ignition and strong oxidizers			
	decomposition product Hazardous	Product does not decompose at ambient temperatures.			
	polymerization	Will not occur.			
11)		ATION			
	Acute Toxicity	ORAL TOXICITY (RATS): Practically low toxic (LD50: greater than 5000mg/kgBW). — -Based on testing of similar products and/or the components. INHALATION TOXICITY (RATS): Practically low toxic (LC50: greater than			

LUBRICANT COMPANY, SINOPEC CORP.

SINOPEC

 10000mg/m^3). — -Based on testing of similar products and/or the components.

12) ECOLOGICAL INFORMATION Ecological toxicity Though long time infiltration, it may produce ecological toxicity When released into the environment, adsorption to sediment and soil will Mobility Be the predominant behavior. Persistence and This product is expected to be inherently biodegradable degradability Bioaccumulation is unlikely due to the very low water solubility of Bioaccumulative this product; therefore bioavailability to aquatic organisms is potential: minimal. 13) DISPOSAL CONSIDERATIONS Product is suitable for burning in an enclosed, controlled burner for fuel value. In addition, the product is suitable for processing by an Waste disposal approved recycling facility or can be disposed of at an appropriate government waste disposal facility. Use protection things , including protection gloves , glasses and Note to release respirator, because explosion may happen heating in the container 14) TRANSPORT INFORMATION The transport department work abiding by all the law ,rule and Transport regulations 15) REGULATORY INFORMATION Solid waste pollution prevention and cure law of The People' s National regulation

 National regulation
 Republic of China

 State Regulation
 Water pollution standard of local government

 16) OTHER INFORMATION
 Get information and manual from the market department or technology

department