[Material Safety Data Sheet-MSDS]

1) PRODUCT AND COMPANY	IDENTIFICATION		
Product name	SF MA 10W-30 Four Stroke Motorcycle Oil		
Common characters	liquid can be dissolved in oil		
	SF MA 10W-30 Four Stroke Motorcycle 01	l can be used in the	
Use	motorcycle, motor engine for lubricating,	cooling and airproofing	
	etc.		
Producer	LUBRICANT COMPANY, SINOPEC CORP. Ser	vice tel. 800-810-9886	
Supplier	LUBRICANT COMPANY, SINOPEC CORP. He	ot line 400-810-9886	
Website	www.sinolube.com		
Compile Date	2011-03-30		
2) COMPOSITION/INFORMAT	ION ON INGREDIENTS		
Chemical name	Ingredients	Content, Wt%	
additive	mixture	<20	
Base oil	mixture	80~100	
3) HAZARDS IDENTIFICAT	ION		
The International Agency for Research on Cancer (IARC) has dete		er (IARC) has determined	
	there is no sufficient evidence for the carcinogenicity in		
Potential health effects	experimental animals of used the oil. Under normal conditions of		
	intended use, this product does not pose a ri	sk to health. Excessive	
	exposure may result in eyes, skin or respirat	cory irritation.	
4) FIRST AID MEASURES			
Eye	Flush with water for 15 minutes. If irritati	on occurs, get medical	
	attention.		
Skin	Flush skin with water, and then wash with soa	up and water. Get medical	
T 1 1 / '	attention.		
Inhalation	Remove victim to fresh air and provide oxygen. Get medical attention.		
Ingestion Note to Physician	Do not induce vomiting. Get medical attention. Cure according to symptom		
5) FIRE FIGHTING MEASURE			
Extinguishing media	Carbon dioxide, foam, dry chemical and water	fog	
Extinguishing Method	spray		
Combustion products	Fumes, smoke, carbon monoxide, sulfur oxides, aldehydes and other decomposition products, in the case of incomplete combustion.		
Forbiddon modi-		TELE COMPUSITON.	
Forbidden media	water		
6) ACCIDENTAL RELEASE MEASURES			
Protective Measures	Wear appropriate personal protective equipment	it when cleaning up	

SINOPEC

Spill Management	<pre>spills. FOR LARGE SPILLS: Remove with vacuum truck or pump to storage/salvage vessels. FOR SMALL SPILLS: Soak up residue with an absorbent such as clay, sand or other suitable material. Place in non-leaking container and seal tightly for proper disposal.</pre>	
7) HANDLING AND STORAGE		
Storage	Do not store in open or unlabeled containers. Store in a cool, dry place with adequate ventilation. Keep away from open flames and high temperatures.	
Empty container waining	Empty containers retain residue (liquid and/or vapor) and can be dangerous. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME.	
8) EXPOSURE CONTROLS/PERSONAL PROTECTION		
Exposure controls	Provide adequate ventilation to control airborne concentrations below the exposure guidelines/limits.	
Respiratory Protection	If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, an approved respirator must be worn.	
Eye Protection	Chemical Goggles, or Safety glasses with side shields	
Hand Protection	Use protective gloves which is chemically resistant to this material	
Personal protection	Use protective clothing and shoes which are chemically resistant to this material.	
Note to sanitation	Wash hands with water an use cosmetic to protect	
9) PHYSICAL AND CHEMICAL PROPERTIES		
Appearance	Brown and transparent liquid Odor No peculiar smell	
Flash point (COC) °C (ISO 2592)	>205	
10) REACTIVITY AND STABILITY		
Stability Conditions and materials to avoid Hazardous	Stable (at room temperature)	
	Extreme heat and high energy sources of ignition and strong oxidizers	
decomposition product	Product does not decompose at ambient temperatures.	
Hazardous polymerization	Will not occur.	
11) TOXICOLOGICAL INFORM	ATION	
Acute Toxicity	ORAL TOXICITY (RATS): Practically low toxic (LD50: greater than	
	5000mg/kgBW). — Based on testing of similar products and/or the components.	
	INHALATION TOXICITY (RATS): Practically low toxic (LC50: greater than	

LUBRICANT COMPANY, SINOPEC CORP.

SINOPEC

 $10000 \rm mg/m^3).$ — -Based on testing of similar products and/or the components.

12) ECOLOGICAL INFORMATION Ecological toxicity Though long time infiltration, it may produce ecological toxicity When released into the environment, adsorption to sediment and soil will Mobility Be the predominant behavior. Persistence and This product is expected to be inherently biodegradable degradability Bioaccumulation is unlikely due to the very low water solubility of Bioaccumulative this product; therefore bioavailability to aquatic organisms is potential: minimal. 13) DISPOSAL CONSIDERATIONS Product is suitable for burning in an enclosed, controlled burner for fuel value. In addition, the product is suitable for processing by an Waste disposal approved recycling facility or can be disposed of at an appropriate government waste disposal facility. Use protection things , including protection gloves , glasses and Note to release respirator, because explosion may happen heating in the container 14) TRANSPORT INFORMATION The transport department work abiding by all the law ,rule and Transport regulations 15) REGULATORY INFORMATION Solid waste pollution prevention and cure law of The People's National regulation Republic of China State Regulation Water pollution standard of local government 16) OTHER INFORMATION Get information and manual from the market department or technology Other data department