

【Material Safety Data Sheet】

SECTION 1 PRODUCT

Product Name Sinopec Complex Lithium Base Grease NLGI 3
Product Code 60113034
Product Usage Suitable for high-load mechanical equipment lubrication.

SECTION 2 COMPOSITION/ INFORMATION ON INGREDIENTS

This material is a mixture.

COMPONENTS	CAS NUMBER	AMOUNT
Twelve-hydroxy lithium stearate	7620-77-1	8-15% weight
Base oil	Mixture	75-91% weight

SECTION 3 HAZARDS IDENTIFICATION

Potential health effects The International Agency for Research on Cancer (IARC) has determined there is sufficient evidence for the carcinogenicity in experimental animals of used the oil. Under normal conditions of intended use, this product does not pose a risk to health. Excessive exposure may result in eyes, skin or respiratory irritation.

SECTION 4 FIRST AID MEASURES

Eye Flush with water for 15 minutes. If irritation occurs, get medical attention.
Skin Flush skin with water, and then wash with soap and water. Get medical attention.
Inhalation Remove victim to fresh air and provide oxygen. Get medical attention.
Ingestion Do not induce vomiting. Get medical attention.
Note to Physician Cure according to symptom.

SECTION 5 FIRE FIGHTING MEASURES

Extinguishing media Carbon dioxide, foam, dry chemical and water fog.
Extinguishing Method Spray
Combustion products Fumes, smoke, carbon monoxide, sulfur oxides, aldehydes and other decomposition products, in the case of incomplete combustion.
Forbidden media Water

SECTION 6 ACCIDENTAL RELEASE MEASURES

Protective Measures Wear appropriate personal protective equipment when cleaning up spills.

Spill Management FOR LARGE SPILLS: Remove with vacuum truck or pump to storage/salvage vessels.
FOR SMALL SPILLS: Soak up residue with an absorbent such as clay, sand or other
suitable material. Place in non-leaking container and seal tightly for proper disposal.

SECTION 7 HANDLING AND STORAGE

Storage Do not store in open or unlabeled containers. Store in a cool, dry place with adequate
ventilation. Keep away from open flames and high temperatures.

Empty container warning Empty containers retain residue (liquid and/or vapor) and can be dangerous. DO NOT
PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND OR EXPOSE SUCH
CONTAINERS TO HEAT, FLAME.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure controls Provide adequate ventilation to control airborne concentrations below the exposure
guidelines/limits.

Respiratory Protection If engineering controls do not maintain airborne concentrations to a level which is
adequate to protect worker health, an approved respirator must be worn.

Eye Protection Chemical Goggles, or Safety glasses with side shields.

Hand Protection Use protective gloves which is chemically resistant to this material.

Personal protection Use protective clothing and shoes which are chemically resistant to this material.

Note to sanitation Wash hands with water and use cosmetic to protect.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Light brown smooth buttery

Odor: Slightly pungent odor

Worked NO.3

Cone Penetration,0.1mm 220~250

Dropping Point, °C ≥260

SECTION 10 STABILITY AND REACTIVITY

Stability Stable (at room temperature)

Conditions and materials to avoid Extreme heat and high energy sources of ignition and strong oxidizers.

Hazardous decomposition product Product does not decompose at ambient temperatures.

Hazardous polymerization Will not occur.

SECTION 11 TOXICOLOGICAL INFORMATION

Acute Toxicity ORAL TOXICITY (RATS): Practically low toxic (LD50: greater than 5000mg/kgBW). —
Based on testing of similar products and/or the components.

 INHALATION TOXICITY (RATS): Practically low toxic (LC50: greater than

10000mg/m³). —Based on testing of similar products and/or the components.

SECTION 12 ECOLOGICAL INFORMATION

Ecological toxicity	Though long time infiltration, it may produce ecological toxicity.
Mobility	When released into the environment, adsorption to sediment and soil will be the predominant behavior.
Persistence and degradability	This product is expected to be inherently biodegradable.
Bioaccumulative potential	Bioaccumulation is unlikely due to the very low water solubility of this product; therefore bioavailability to aquatic organisms is minimal.

SECTION 13 DISPOSAL CONSIDERATIONS

Waste disposal	Product is suitable for burning in an enclosed, controlled burner for fuel value. In addition, the product is suitable for processing by an approved recycling facility or can be disposed of at an appropriate government waste disposal facility.
Note to release	Use protection things, including protection gloves, glasses and respirator, because explosion may happen heating in the container.

SECTION 14 TRANSPORT INFORMATION

Transport	The transport department work abiding by all the law, rule and regulations.
-----------	---

SECTION 15 REGULATORY INFORMATION

National regulation	Solid waste pollution prevention and cure law of The People's Republic of China.
State Regulation	Water pollution standard of local government.

SECTION 16 OTHER INFORMATION

Other data	Get information and manual from the market department or technology department.
------------	---

The above information is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made available subsequent to the date hereof may suggest modifications of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.