

Safety Data Sheet According to SS586:2014

Sinopec Extreme Pressure Lithium Grease NLGI 2

Version 1.0

Issue date: 12/01/2015

Revision date: 12/01/2015

SDS Record Number: CSSS-TCO-010-116055

Section 1 Identification of the substance/mixture and of the company/undertaking

Product identifier:

Identification on the label/Trade name: Sinopec Extreme Pressure Lithium Grease NLGI 2

Additional identification:

Identification of the product:

Index Number:

REACH registration No.:

Not available

Not available

Relevant identified uses of the substance and uses advised against:

Identified uses:

Suitable for lubricating bearings and gears of high load mechanical equipment which work on temperatures of -20°C to 120°C. And it can also be used for centralized lubrication system.

Uses advised against:

Not available.

Details of the supplier of the safety data sheet:

Supplier(Manufacturer): SINOPEC LUBRICANT CO., LTD.

Address: No. 6 Anning Zhuang West Road, Haidian District, Beijing, P.R.China

 Contact person(E-mail):
 csc.lube@sinopec.com

 Telephone:
 86-400-810-9886

 Fax:
 86-10-82410856

Emergency telephone Number:

86-400-810-9886 Only available during office hours (8:30a.m.-17:30p.m. Beijing Time Zone)

Available outside office hours? YES NO X

Section 2 Hazards Identification

Classification of the substance/mixture:

GHS Classification Not classified

label elements:

Hazard Pictograms: No hazard pictogram is used.

Signal Word(S): No signal word is used.

Hazard Statement: Not applicable.

Precautionary statement: Not applicable.

Other hazards: Not available.

Section 3 Composition/information on ingredients

Substance/Mixture: Mixture

Ingredient(s):

Chemical Name	Registration No.	CAS No.	EC No.	Concentration
Base oil	N/A	64742-44-5	265-146-1	75-88%
lithium 12-hydroxystearate	N/A	7620-77-1	31-536-5	5-20%
Additive	N/A	68649-42-3	272-028-3	<8%

Section 4 First aid measures

Description of first aid measures:

In all cases of doubt, or when symptoms persist, seek medical attention.

In case of inhalation:

Remove victim to fresh air and provide oxygen. Get medical attention.

In case of skin contact:

Flush skin with water, and then wash with soap and water. Get medical attention.

In case of eves contact:

Flush with water for 15 minutes. If irritation occurs, get medical attention.

In case of ingestion:

Do not induce vomiting. Get medical attention.

Most important symptoms and effects, both acute and delayed:

The product is not classified as harmful to human health effect.

Indication of any immediate medical attention and special treatment needed:

If skin irritation or rash occurs, get medical advice/attention.

Section 5 Fire-Fighting measures

Extinguishing media:

Suitable extinguishing media: Use water Carbon dioxide, foam, dry chemical and water fog.

Unsuitable extinguishing media:

Special hazards arising from the In case of heat, fire and strong oxidants can lead to burning. Fumes, smoke, carbon monoxide, sulfur oxides, aldehydes, nitrogen oxides, phosphate, certain substance or mixture

metal oxides and other decomposition products, in the case of incomplete

combustion.

Special fire fighting methods and

special protective actions for fire-fighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure

Section 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Provide adequate ventilation. Avoid skin and eye contact. Refer to section 8 of For non-emergency personnel:

SDS for personal protection details.

For emergency responders: Wear an appropriate NIOSH/MSHA approved respirator if dust is generated.

Do not allow material to be released to the environment without proper **Environmental Precautions:**

governmental permits.

Methods for Containment and Cleaning

up:

For large spills: Remove with vacuum truck or pump to storage/salvage vessels. For small spills: Soak up residue with an absorbent such as clay, sand or other

suitable material. Place in non-leaking container and seal tightly for proper

disposal.

Reference to other sections: See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

Not applicable. Additional information:

Section 7 Handling and storage

Precautions for safe handling:

Protective measures: Containers, even those that have been emptied, may contain explosive vapours.

Do NOT cut, drill, grind, weld or perform similar operations on or near containers. Electrostatic discharge may be generated during pumping - this may result in fire. Ensure electrical continuity by bonding and grounding (earthing) all equipment.

Advice on general occupational hygiene:

Do not eat, drink and smoke in work areas. Wash hands after use. Remove contaminated clothing and protective equipment before entering eating areas. Do not store in open or unlabeled containers. Store in a cool, dry place with adequate ventilation. Keep away from open flames and high temperatures.

Not applicable.

any incompatibilities: Specific end use(s):

Conditions for safe storage, including

Section 8 Exposure Controls/Personal Protection

Product name: Sinopec Extreme Pressure Lithium Grease NLGI 2 Version #: 1.0 Issue date: 12-01-2015. Revision date: 12-01-2015. Control parameters:

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA:

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
US ACGIH Threshold Limit Values (TLV)	lithium 12- hydroxystearate	Stearates(J)	10 mg/m3	Not Available	Not Available	TLV® Basis: Eye, skin, & URT irr

EMERGENCY LIMITS:

Ingredient	Original IDLH	Revised IDLH
lithium 12-hydroxystearate	Not Available	Not Available
Base oil	Not Available	Not Available
Additive	Not Available	Not Available

Exposure controls:

Appropriate engineering controls: Provide adequate ventilation to control airborne concentrations below the exposure

guidelines/limits.

Individual protection measures, such as personal protective equipment:

Eye/face protection: Chemical goggles, or Safety glasses with side shields.

Hand protection: Use protective gloves which is chemically resistant to this material.

Body protection:Use protective clothing and shoes which are chemically resistant to this material. **Respiratory protection:**If engineering controls do not maintain airborne concentrations to a level which is

adequate to protect worker health, an approved respirator must be worn.

Thermal hazards: Wear suitable protective clothing to prevent heat.

Environmental exposure controls: Avoid discharge into the environment.

According to local regulations, Federal and official regulations.

Section 9 Physical and chemical properties

Information on basic physical and chemical properties:

Appearance: Light brown smooth ointment

Colour: Light brown

Odour: Slightly pungent odor

Odour threshold:Not availablepH:Not availableMelting point/range (°C):0 °C (Base oil)

Boiling point/range (°C): >= 207 <= 750 °C (Base oil)

Flash point (°C): 245 °C (open cup)

Evaporation rate: >260 °C
Flammability limit - lower (%): Not available
Flammability (solid, gas): Not available
Ignition temperature (°C): Not available
Upper/lower flammability/explosive limits: Not available
Vapour pressure: <.0.5MPa (40°C)

Vapour density: >1(air=1)

Density: 0.85-1.0 kg/l (20°C)
Bulk density (kg/m³): Not available
Water solubility (g/l): Insoluble in water

n-Octanol/Water (log Po/w): >6

Auto-ignition temperature:

Decomposition temperature:

Viscosity, dynamic (mPa.s):

Explosive properties:

Oxidising properties:

Mot available

Non explosive

Oxidising properties:

Not oxidizing

Molecular Formula:

Not available

Molecular Weight:

Other information:

Fat solubility(solvent- oil to be specified) Not available

etc:

Surface tension: Not available Dissociation constant in water(pKa): Not available

Product name: Sinopec Extreme Pressure Lithium Grease NLGI 2
Version #: 1.0 Issue date: 12-01-2015. Revision date: 12-01-2015.

3/7

Oxidation-reduction Potential: Not available
Specific gravity: Not available

Section 10 Stability and reactivity

Reactivity: The substance is stable under normal storage and handling conditions.

Chemical stability: Stable at room temperature in closed containers under normal storage and

handling conditions.

Possibility of hazardous reactions: Contact with strong oxidants can lead to burning.

Conditions to avoid: Extreme heat and high energy sources of ignition and strong oxidizers.

Incompatible materials: Strong oxidizing agents.

Hazardous decomposition products: Fumes, smoke, carbon monoxide, sulfur oxides, aldehydes, nitrogen oxides,

phosphate, certain metal oxides and other decomposition products, in the case of

incomplete combustion.

Section 11 Toxicological information

Toxicokinetics, metabolism and distribution:

Non-human toxikological data: Not available

Information on toxicological effects:

Acute toxicity:

LD50(Oral, Rat): > 5000 mg/kg bw LD50(Dermal, Rat): > 2000 mg/kg bw LC50(Inhalation, Rat): $> 10000 \text{ mg/m}^3 \text{ bw}$ Skin corrosion/Irritation: Not classified Not classified Serious eye damage/irritation: Respiratory or skin sensitization: Not classified Not classified Germ cell mutagenicity: Not classified Carcinogenicity: Reproductive toxicity: Not classified STOT- single exposure: Not classified STOT-repeated exposure: Not classified

Section 12 Ecological information

Toxicity: Base oil (CAS: 64742-44-5):

Acute t	oxicity	Time	Species	Method	Evaluation	Remarks
LL50	> 100 mg/L	96h	Fish	OECD 203	N/A	N/A
LL50	> 10000 mg/L	48h	Daphnia	OECD 202	N/A	N/A
EC50	N/A	72h	Algae	OECD 201	N/A	N/A

lithium 12-hydroxystearate (CAS: 7620-77-1):

Acute t	oxicity	Time	Species	Method	Evaluation	Remarks
LL50	> 100 mg/L	96h	Fish	OECD 203	N/A	N/A
EC50	> 100 mg/L	48h	Daphnia	OECD 202	N/A	N/A
EL50	> 160 mg/L	72h	Algae	OECD 201	N/A	N/A

Persistence and degradability: This product is expected to be inherently biodegradable.

Bioaccumulation is unlikely due to the very low water solubility of this product;

Bioaccumulative potential: therefore bioavailability to aquatic organisms is minimal.

When released into the environment, adsorption to sediment and soil will Be the

predominant behavior.

Results of PBT&vPvB assessment: Not available.

Other adverse effects: Though long time infiltration, it may produce ecological toxicity.

Section 13 Disposal considerations

Mobility in soil:

Waste treatment methods: The material should be disposed of by incineration in a chemical incinerator in

compliance with national and regional requirements.

Product / Packaging disposal: If empty container retains product residues, all label precautions must be observed.

Product name: Sinopec Extreme Pressure Lithium Grease NLGI 2 Version #: 1.0 Issue date: 12-01-2015. Revision date: 12-01-2015.

Section 14 Transport information					
	Land transport(ADR/RID)	Sea transport (IMDG)	Air transport (ICAO/IATA)		
UN-Number	Not regulated	Not regulated	Not regulated		
UN Proper shipping name	Not regulated	Not regulated	Not regulated		
Transport hazard Class	Not regulated	Not regulated	Not regulated		
Packaging group	Not regulated	Not regulated	Not regulated		
Environmental hazards	No	No	No		
Special precautions for user	See section 2.2	See section 2.2	See section 2.2		
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not regulated	Not regulated	Not regulated		

Section 15 Regulation information

Safety, health and environmental regulations/legislation specific for the substance or mixture:

lithium 12-hydroxystearate (7620-77-1) is found on	"Singapore Permissible Exposure Limits of Toxic Substances"
the following regulatory lists	
Base oil (64742-44-5) is found on the following	"Singapore Permissible Exposure Limits of Toxic Substances",
regulatory lists	"International Agency for Research on Cancer (IARC) - Agents Classified by
	the IARC Monographs"
Additive (68649-42-3) is found on the following	"Not Applicable"
regulatory lists	

Section 16 Other information

Further information:

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Notice to reader:

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgment of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Author: Hangzhou CIRS Co., Limited Website:www.cirs-group.com Tel:0571-87206555 Email:info@cirs-group.com